



Claims


1. A compound represented by the general formula I, a salt thereof or a solvated compound thereof:



wherein



represents a divalent residue of benzene with a substituent(s), heterocycle-condensed benzene which may or may not have a substituent, pyridine which may or may not have a substituent, cyclohexane or naphthalene or



Ar represents an aryl group which may or may not have a substituent;

X represents -NH-, oxygen atom or sulfur atom;

Y represents -NR₁-, oxygen atom, sulfur atom, sulfoxide or sulfone;

Z represents single bond or -NR₅-;


R₁ represents hydrogen atom, a lower alkyl group, an aryl

group or a silylated lower alkyl group which may or may not have a substituent;


R_5 represents hydrogen atom, a lower alkyl group, an aryl group or a silylated lower alkyl group which may or may not have a substituent; and

n represents an integer of 0 to 15.


2. A compound represented by the following formula II, a salt thereof or a solvated product thereof:



wherein



represents a divalent residue of benzene with a substituent(s), heterocycle-condensed benzene which may or may not have a substituent, pyridine which may or may not have a substituent, cyclohexane or naphthalene or



X represents -NH-, oxygen atom or sulfur atom;

Y represents -NR₄-, oxygen atom, sulfur atom, sulfoxide or sulfone;

Z represents single bond or -NR₅-;


R₁, R₂ and R₃ may be the same or different and represent hydrogen atom, a lower alkyl group, a lower alkoxy group, halogen atom, hydroxyl group, phosphate group, sulfonamide group, or amino group which may or may not have a substituent; otherwise, any combination of two of R₁, R₂ and R₃ represents an alkylene dioxy group;

R₄ represents hydrogen atom, a lower alkyl group, an aryl group or a silylated lower alkyl group which may or may not have a substituent;

R₅ represents hydrogen atom, a lower alkyl group, an aryl group or a silylated lower alkyl group which may or may not have a substituent; and

n represents an integer of 0 to 15.

3. A compound represented by the following formula III, a salt thereof or a solvated product thereof:



(III)

wherein

X represents -NH-, oxygen atom or sulfur atom;

Y represents -NR₄-, oxygen atom, sulfur atom, sulfoxide or sulfone;

Z represents single bond or -NR₅-;

R₁, R₂ and R₃ may be the same or different and represent hydrogen atom, a lower alkyl group, a lower alkoxy group, halogen atom, hydroxyl group, phosphate group, sulfonamide group, or amino group which may or may not have a substituent; otherwise, any combination of two of R₁, R₂ and R₃ represents alkylene dioxy group;

R₄ represents hydrogen atom, a lower alkyl group, an aryl group or a silylated lower alkyl group which may or may not have a substituent;


R₅ represents hydrogen atom, a lower alkyl group, an aryl group or a silylated lower alkyl group which may or may not have a substituent;

R₆, R₇ and R₈ may be the same or different and represent hydrogen atom, a lower alkyl group which may or may not have a substituent, a lower alkoxy group which may or may not have a substituent, halogen atom, hydroxyl group, carboxyl group, an alkoxycarbonyl group which may or may not have a substituent, an alkylcarbonyloxy group which may or may not have a substituent, an alkylcarbonyl group which may or may not have a substituent, carbamoyl group which may or may not have a substituent, a hydroxyalkyl group, phosphate group, cyano

group, nitro group, sulfonamide group, amino group which may or may not have a substituent, an aminoalkyl group which may or may not have a substituent, or a heterocyclic residue; otherwise, any combination of two of R_6 , R_7 and R_8 represents an alkylene dioxy group, provided that R_6 , R_7 and R_8 never simultaneously represent hydrogen atom; and


n represents an integer of 0 to 15.

4. A compound represented by the following general formula IV, a salt thereof or a solvated product thereof:





(IV)


wherein



represents



or



;

X represents $-NH-$, oxygen atom or sulfur atom;

Y represents $-NR_4-$, oxygen atom, sulfur atom, sulfoxide or sulfone;

Z represents single bond or $-NR_5-$;

R_1 , R_2 and R_3 may be the same or different and represent hydrogen atom, a lower alkyl group, a lower alkoxy group, halogen atom, hydroxyl group, phosphate group, sulfonamide group, or amino group which may or may not have a substituent; otherwise, any combination of two of R_1 , R_2 and R_3 represents an alkylene dioxy group;

R_4 represents hydrogen atom, a lower alkyl group, an aryl group or a silylated lower alkyl group which may or may not have a substituent;

R_5 represents hydrogen atom, a lower alkyl group, an aryl group or a silylated lower alkyl group which may or may not have a substituent;

R_9 , R_{10} , R_9' , R_{10}' , R_9'' , R_{10}'' , R_9''' , and R_{10}''' may be the same or different and represent hydrogen atom, a lower alkyl group which may or may not have a substituent, a lower alkoxyl group which may or may not have a substituent, halogen atom, hydroxyl group, carboxyl group, an alkoxycarbonyl group which may or may not have a substituent, an alkylcarbonyloxy group which may or may not have a substituent, an alkylcarbonyl group which may or may not have a substituent, carbamoyl group which may or may not have a substituent, a hydroxyalkyl group, phosphate group, sulfonamide group, amino group which may or may not have a substituent, an aminoalkyl group which may or may not have a substituent, or a heterocyclic residue; otherwise, any combination of two thereof represents an alkylene dioxy group; and

n represents an integer of 0 to 15.

5. A pharmaceutical composition comprising a compound, a salt thereof or a solvated compound thereof according to any one of claims 1 to 4, and a pharmaceutically acceptable carrier.

6. A pharmaceutical composition according to claim 5, which is an ACAT inhibitor, an intra-cellular cholesterol transfer inhibitory agent, a blood cholesterol-reducing agent or a macrophage foaming-suppressing agent.

7. A pharmaceutical composition according to claim 5, which is a prophylactic and therapeutic agent of hyperlipidemia, arteriosclerosis, cerebrovascular diseases, ischemic cardiac diseases, ischemic intestinal diseases or aortic aneurysm.

8. A method for therapeutically treating diseases with the etiology of ACAT, intra-cellular cholesterol transfer, blood cholesterol or macrophage foaming, comprising administering a therapeutically effective dose of a compound, a salt thereof or a solvated compound thereof according to any one of claims 1 to 4.

9. A method for therapeutically treating hyperlipidemia, arteriosclerosis, cerebrovascular diseases, ischemic cardiac diseases, ischemic intestinal diseases or aortic aneurysm, comprising administering a therapeutically effective dose of a compound, a salt thereof or a solvated compound thereof according to any one of claims 1 to 4.

10. The use of a compound, a salt thereof or a solvated compound thereof according to any one of claims 1 to 4, for producing an ACAT inhibitor, an intra-cellular cholesterol transfer inhibitory agent, a blood cholesterol-reducing agent or a macrophage foaming-suppressing agent.

11. The use of a compound, a salt thereof or a solvated compound thereof according to any one of claims 1 to 4, for therapeutically treating hyperlipidemia, arteriosclerosis, cerebrovascular diseases, ischemic cardiac diseases, ischemic intestinal diseases or aortic aneurysm.

add
BT